

MTS / T-BERD 2000

B18224

RELEASE NOTE

Firmware Pack Version B18224 (May 2018)

-	Boot	V7.18	05/April/2018
-	Linux Kernel	V8.76	05/April/2018
-	File System	V7.22	17/May/2018
-	Instrument Setup	V16.72	31/May/2018
-	Microscope	V16.72	31/May/2018
-	OLP-4057	V1.19	20/December/2011
-	Fiber Optics	V16.72	31/May/2018

CONTENT

T-BERD/MTS 2000 Base Unit	3
Improvements	3
OTDR	3
New functionalities	3
Improvements	3
FiberComplete	4
New functionalities	4
Scope	4
Improvements	4

T-BERD/MTS 2000 Base Unit

Improvements

- Improved Bluetooth pairing
- Improved management of wifi menu and wifi IP address
- Improved upgrade management with Japanese language
- Improved management of Ethernet 100M
- Faster access to the given function from the home page
- Improved management of IPv6 address in static mode
- Improved proxy management with Ethernet
- Improved wifi key/password edition

OTDR

New functionalities

- Ability to provide custom labels on storage information for SmartTest
- Addition of specific icon stressing connector + bend

Improvements

- Improved handling of SmartTest refresh screen function
- Improved automatic measurements on long distance > 14/18 dB of loss (regression since V15.90)
- Improved handling of txt report when deleting one trace
- SmartTest: Renaming of default configuration files and ability to move to the config directory when selecting a configuration file
- Improved SmartTest function
- CWDM and DWDM OTDR module: management of SmartTest mode
- DWMD OTDR module: improved management of wavelength selection, as well as channel selection, close to THz and nm values
- Improved management of ORL alarm when using .CSOR files
- Improved bend management even with the use of event code
- Improved real time measurement menu
- Improved management of manual range
- Ability to perform a launch cable measurement and populate the measured distance into the launch cable setup
- Improved management of macro when the MTS did not created it and never used any macro before

FiberComplete

New functionalities

- Improved management of OTDR while FiberComplete active with distant unit, this with MA3 modules

Scope

Improvements

- Improved management of FiberChek probe in “Advanced” mode
- Improved management of optical scopes having specific calibration settings
- With the P5000i, improved management when moving from “about” screen to “result” screen